# **400A Clamp Meters**




KLEIN TOOLS.



### **PROFESSIONAL SERIES CLAMP METERS**

Non-Contact Voltage Tester



**CL1100** 

SPECIFICATION		CL1000
Ã	AC Current	400A
Ā	DC Current	-
ĩ	AC Voltage	750V
V	DC Voltage	1000V
$\overline{\widetilde{\mu A}}$	Micro Amps	0.1μΑ ~ 2000μΑ
Ω	Resistance	40ΜΩ
46	Capacitance	4000μF
Hz%	Frequency / Duty Cycle	•
<b>—</b>	Diode Test	•
01))	Continuity	•
F℃	Temperature	15° ~ 752°F
NCV	Non Contact Voltage	•
	CAT Rating	CAT III 600V
	Listing	C UL US
Dimensions: 8.875" H x 3.375" W x 1.5" D		

(225 mm H x 85.7 mm W x 38.1 mm D)





Weight: 10.7 oz. (303 g)





Backlit Display

Lead Storage



#### **PROFESSIONAL SERIES CLAMP METERS**

400A AC/DC True RMS Clamp Meter w/Temperature

**CL 2100** 

True RMS DC Current

Large Clamp	
opening	

Non-Contact Voltage Tester

SDEC	IFICATION	CL2000
Ã	AC Current	400A
Ā	DC Current	400A
v	AC Voltage	750V
V	DC Voltage	1000V
$\overline{\widetilde{\mu}}\widetilde{A}$	Micro Amps	0.1µА ~ 2000µА
Ω	Resistance	40ΜΩ
46	Capacitance	4000μF
Hz%	Frequency /Duty Cycle	•
<b>—</b>	Diode Test	•
01))	Continuity	•
F°C	Temperature	15° ~ 752°F
NCV	Non Contact Voltage	•
TRMS	True RMS	•
	CAT Rating	CAT III 600V
	Listing	C UL US
	Dimensions: 8.875" H x 3.375" W x 1.5" D (225 mm H x 85.7 mm W x 38.1 mm D)	
	Weight: 10.7 oz. (303 g)	









Analog Bar Graph

Measure Temperature

Test Lead Holder

## **Professional Series Clamp Meters**

### **Great For HVAC Applications**



KLEIN TOOLS<sub>®</sub>

www.kleintools.com

Klein Tools, Inc. • 450 Bond Street • Lincolnshire • IL 60069-1418 phone: 847-821-5500 • Toll free: 800-553-4676 • fax: 800-553-4876 Test & Measurement Product Line Customer Service: 877-775-5346